

## SAFETY DATA SHEET

**Product:** JIMO Anti Inset 60 Noites

Revision: 03

Date: 02/05/2024

Pages: 1/8

### 1 - IDENTIFICATION

GHS Product identifier:	JIMO Anti Inset 60 Noites
Other means of identification:	9001-0
Recommended use of the chemical:	Insecticide.
Specific restrictions on use:	There are not known restrictions on use.
Supplier`s details:	Jimo Química Industrial Ltda. <b>Address:</b> Rua Ítalo Raffo 693 - Distrito Industrial, CEP: 94930-240 - RS - Brasil. <b>Phone number:</b> +55 51 3470 67 55 <b>Email:</b> jimo@jimo.com.br
Emergency phone number:	+55 51 3470 67 55 / 0800 051 41 46

### 2 - HAZARD IDENTIFICATION

Classification of the substance or mixture:	Hazardous to the Aquatic Environment - Acute Hazard - Category 1; Hazardous to the Aquatic Environment - Chronic Hazard - Category 3.
Classification system adopted:	Globally Harmonized System of Classification and Labeling of Chemicals (GHS), United Nations.

#### GHS label elements, including precautionary statements

Pictograms:



Signal word:	WARNING
Hazard statement(s):	H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.
Precautionary statement(s):	<b>PREVENTION:</b> P273 Avoid release to the environment.  <b>RESPONSE TO EMERGENCY:</b> P391 Collect spillage.  <b>DISPOSITION:</b> P501 Dispose of contents and container in accordance with local regulations.
Other hazards which do not result in classification:	The product has no other hazards.

### 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<b>MIXTURE</b>	
Components contributing to the	Piperonyl butoxide (CAS 51-03-6): 0.1 - 1 %; Butylhydroxytoluene (CAS 128-37-0): 0.1 - 1 %;

## SAFETY DATA SHEET

**Product:** JIMO Anti Inset 60 Noites

Revision: 03

Date: 02/05/2024

Pages: 2/8

hazard: Metofluthrin (CAS 240494-70-6): 0.1 - 1.0 %.

### 4 - FIRST-AID MEASURES

#### Description of necessary first-aid measures

Inhalation:	Remove victim to fresh air.
Skin:	Wash exposed skin with sufficient amount of water to remove the product.
Eye:	Rinse carefully with water for several minutes. If wearing contact lenses, remove them if it is easy. If eye irritation occurs: consult a doctor. Bring this document.
Ingestion:	Wash the victim's mouth with plenty of water. Contact a TOXICOLOGICAL INFORMATION CENTER or a doctor. Bring this document.
Most important symptoms/effects, acute and delayed:	No symptoms and effects are expected after exposure to the material.
Indication of immediate medical attention and special treatment needed, if necessary:	If necessary, provide symptomatic treatment.

### 5 - FIRE-FIGHTING MEASURES

Extinguishing media:	Appropriate: carbon dioxide (CO <sub>2</sub> ), foam, water mist and powder. Inappropriate: water jet directly.
Specific hazards arising from the chemical:	Combustion of the material or its packaging can form irritating and toxic gases such as carbon monoxide and dioxide. Vapors can be denser than air and tend to accumulate in low-lying or confined areas such as storm drains and basements. Containers may explode if heated.
Special protective actions for fire-fighters:	Wear positive pressure self-contained breathing apparatus (SCBA) and full protective clothing. Containers and tanks involved in the fire must be cooled with water mist.

### 6 - ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:	Isolate the leakage from sources of ignition. Keep unauthorized persons away from the area. Stop the leakage if it can be done without risk. Do not smoke. Do not touch damaged containers or spilled product without proper clothing. Avoid exposure to the product. Stay in a safe place, with the wind at your back. Use personal protective equipment as described in section 8.
For emergency responders:	Wear complete PPE with safety glasses, safety gloves, suitable protective clothing and closed shoes. In case of leakage, where exposure is high, it is recommended to use a suitable respiratory protection mask.
Environmental precautions:	Avoid that the spilled product reaches waterways or sewage system.
Methods and materials for containment and cleaning up:	Use water mist or vapor suppressing foam to reduce the dispersion of vapors. Use natural or spill containment barriers. Collect spilled products and place them in appropriate containers. Adsorb the remaining product with dry sand, earth, vermiculite, or any inert product. Place the adsorbed product in proper containers and remove it to a safe place. For final disposal, proceed according to Section 13 of this document.

### 7 - HANDLING AND STORAGE

## SAFETY DATA SHEET

**Product:** JIMO Anti Inset 60 Noites

Revision: 03

Date: 02/05/2024

Pages: 3/8

### Precautions for safe handling

**Precautions for safe handling:** Handle in a well ventilated area or with general system of ventilation/local exhaust. Avoid formation of vapors and mists. Use personal protective equipment as described in section 8. Avoid contact with incompatible materials.

**General hygiene:** Wash hands and face thoroughly after handling and before eating, drinking, smoking, or using the toilet. Contaminated clothing should be changed and washed before reuse. Remove contaminated clothing and protective equipment before entering eating areas.

### Conditions for safe storage, including any incompatibilities

**Technical measures for prevention of fire and explosion:** It is not expected that the product presents a fire or explosion hazard.

**Conditions for safe storage, including any incompatibilities:** Store in a dry, well-ventilated place away from sunlight. Keep the container closed. It is not necessary addition of stabilizers and antioxidants to ensure the durability. Keep away from incompatible materials.

**Packaging compatibilities:** Similar to the original packaging.

**Inadequate packaging materials:** There are not known unsuitable material.

## 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Occupational exposure limit:** The values below apply to workplaces.

- Butylhydroxytoluene:  
NIOSH - REL - TWA: 10 mg/m<sup>3</sup>;  
ACGIH - TLV - TWA: 2 mg/m<sup>3</sup> (IFV).

IFV: Inhalable fraction and vapor.

**Biological limit:** Not established.

**Other limits and values:** Not established.

**Appropriate engineering controls:** A risk assessment is recommended to define the engineering control measures necessary to eliminate or minimize the risk. These measures help to reduce exposure to the product. Maintain atmospheric concentrations of the constituents of the material below occupational exposure limits indicated.

### Individual protection measures, such as personal protective equipment (PPE)

**Eye/face protection:** Safety glasses.

**Skin protection:** Closed shoes and suitable protective clothing. Appropriate protective gloves.

**Respiratory protection:** A risk assessment should be performed for proper definition of respiratory protection, in view of the material use conditions.

**Thermal hazards:** It does not present thermal hazards.

## 9 - PHYSICAL AND CHEMICAL PROPERTIES

**Aspect:** Liquid.

In accordance with Globally Harmonized System of  
Classification and Labelling of Chemicals (GHS)- Chapter 1.5  
and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Anti Inset 60 Noites

Revision: 03	Date: 02/05/2024	Pages: 4/8
Color:	Yellow.	
Odour:	Characteristic.	
Melting point/freezing point:	Not available.	
Boiling point or initial boiling point and boiling range:	Not available.	
Flammability:	Not available.	
Lower and upper explosion limit/flammability limit:	Not available.	
Flash point:	Not available.	
Auto-ignition temperature:	Not available.	
Decomposition temperature:	Not available.	
pH:	Not applicable.	
Kinematic viscosity:	Not available.	
Solubility(ies):	Immiscible in water. Miscible in organic solvents.	
Partition coefficient n-octanol/water (log value):	Not available.	
Vapour pressure:	Not available.	
Relative vapour density:	Not available.	
Density and/or relative density:	Relative density: 0.79 to 0.85 at 20 °C (68 °F).	
Particle characteristics:	Not applicable.	
Other information:	Not applicable.	

### 10 - STABILITY AND REACTIVITY

Reactivity:	Reactivity is not to be expected under normal conditions of temperature and pressure.
Chemical stability:	Stable under normal temperature and pressure conditions.
Possibility of hazardous reactions:	There are not known hazardous reactions with the material.
Conditions to avoid:	High temperatures. Contact with incompatible materials.
Incompatible material:	Acids, oxidizers, oxidizing agents, reducing agents, Strong acids, strong base, strong oxidizers and strong oxidizing agents.
Hazardous decomposition products:	No dangerous decomposition products are known.

## SAFETY DATA SHEET

**Product:** JIMO Anti Inset 60 Noites

Revision: 03

Date: 02/05/2024

Pages: 5/8

### 11 - TOXICOLOGICAL INFORMATION

Acute toxicity:	Product not classified as acute toxic by oral and dermal. LD <sub>50</sub> Oral (rats): >2000 mg/kg. ATEmix Dermal: > 5000 mg/kg.
Skin corrosion/irritation:	It is not expected to cause skin irritation.
Serious eye damage/irritation:	It is not expected to cause eye irritation.
Respiratory or skin sensitization:	It is not expected to present respiratory or skin sensitization.
Germ cell mutagenicity:	It is not expected to show mutagenicity in germ cells.
Carcinogenicity:	It is not expected to be carcinogenic.
Reproductive toxicity:	It is not expected to be reproductively toxic.
STOT - Single exposure:	It is not expected to exhibit specific target organ toxicity by single exposure.
STOT - Repeated exposure:	It is not expected to exhibit specific target organ toxicity on repeated exposure.
Aspiration hazard:	It is not expected to present an aspiration hazard.

### 12 - ECOLOGICAL INFORMATION

Toxicity:	Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.  Information regarding to: - <u>Piperonyl butoxide</u> : EC <sub>50</sub> ( <i>Daphnia magna</i> , 48 h): 0.51 mg/L; ErC <sub>50</sub> ( <i>Selenastrum capricornutum</i> , 72 h): 2.09 mg/L; LC <sub>50</sub> ( <i>Cyprinodon variegatus</i> , 96 h): 3.94 mg/L. - <u>Butylhydroxytoluene</u> : EC <sub>50</sub> ( <i>Daphnia sp.</i> , 48 h): 0.316 mg/L; ErC <sub>50</sub> (Green algae, 72 h): 0.4 mg/L; LC <sub>50</sub> (Fish, 96 h): 0.57 mg/L; EC <sub>50</sub> ( <i>Daphnia sp.</i> , 48 h): 0.61 mg/L. - <u>Metofluthrin</u> : LC <sub>50</sub> ( <i>Oncorhynchus mykiss</i> , 96 h): 0.0012 mg/L; LC <sub>50</sub> ( <i>Lepomis macrochirus</i> , 96 h): 0.0027 mg/L; LC <sub>50</sub> ( <i>Cyprinus carpio</i> , 96 h): 0.00306 mg/L; EC <sub>50</sub> ( <i>Daphnia magna</i> , 48 h): 0.0047 mg/L; ErC <sub>50</sub> (Green algae, 72 h): 37 mg/L.
Persistence and degradability:	It is expected that the product presents persistence and it is not considered readily biodegradable.  Information regarding to: - <u>Piperonyl butoxide</u> : The substance is not readily biodegradable.
Bioaccumulative potential:	Presents low bioaccumulative potencial in aquatic organisms.
Mobility in soil:	Not determined.
Other adverse effects:	No other environmental effects known.

## SAFETY DATA SHEET

**Product:** JIMO Anti Inset 60 Noites

Revision: 03

Date: 02/05/2024

Pages: 6/8

### 13 - DISPOSAL CONSIDERATIONS

#### Disposal methods

Must be disposed of as waste in compliance with local regulations. The treatment and disposal should be evaluated for each specific product.

Keep the product remains in its original and properly closed containers. Disposal should be performed as established for the product.

### 14 - TRANSPORT INFORMATION

**Road:** UN - United Nations: Model Regulations:  
• Recommendations on the Transport of Dangerous Goods.

UN number: 3082

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Piperonyl butoxide and 2,6-di-  
tec-butyl-p-cresol)

Primary risk class or  
division: 9

Subsidiary risk class or  
division: NA

Packing group: III

**Railway regulations:** COTIF - Convention concerning International Carriage by Rail:  
• Appendix C: RID - Regulations concerning the International Carriage of Dangerous Goods  
by Rail.

UN number: 3082

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Piperonyl butoxide and 2,6-di-  
tec-butyl-p-cresol)

Primary risk class or  
division: 9

Subsidiary risk class or  
division: NA

Packing group: III

**Sea:** IMO - International Maritime Organization:  
• IMDG Code - International Maritime Dangerous Goods Code.

UN number: 3082

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Piperonyl butoxide and  
Butylhydroxytoluene)

Primary risk class or  
division: 9

Subsidiary risk class or  
division: NA

Packing group: III

EmS: F-A,S-F

Environmental hazards: The product is considered a marine pollutant.

**Air:** IATA - International Air Transport Association:  
• DGR - Dangerous Goods Regulation.

In accordance with Globally Harmonized System of Classification and Labelling of Chemicals (GHS)- Chapter 1.5 and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Anti Inset 60 Noites

Revision: 03

Date: 02/05/2024

Pages: 7/8

UN number: 3082

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Piperonyl butoxide and Butylhydroxytoluene)

Primary risk class or division: 9

Subsidiary risk class or division: NA

Packing group: III

Special precautions for user: Not applicable.

### 15 - REGULATORY INFORMATION

Convention concerning Safety in the use of Chemicals at Work (Convention 170) - International Labour Organization, 1990.

### 16 - OTHER INFORMATION

This document was prepared based on current knowledge about the proper product handling and under normal conditions of use, in accordance with the application specified on the packaging. Any other use of the product involving their combination with other products, and use various forms of those indicated, are the responsibility of the user. Warns that the handling of any chemical substance requires the prior knowledge of its hazards for the user. In the workplace it is for the user company's product promotes training of its collaborators about the possible risks arising from exposure to the chemical.

#### Change control:

Version	Manufacture date	Changes
03	05/08/2019	Change in composition. Change in section: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 and 16.


Classification of the substance or mixture: Health: 0  
Flammability: 0  
Instability: 0

Classification system adopted: Hommel Diagram - National Fire Protection Association: NFPA 704

Classification of the substance or mixture: Health: 0  
Flammability: 0  
Physical Hazard: 0

Classification system adopted: National Paint & Coatings Association: NPCA

NFPA 704:



## SAFETY DATA SHEET

**Product:** JIMO Anti Inset 60 Noites

Revision: 03

Date: 02/05/2024

Pages: 8/8

**HMIS:**

HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION		

**Abbreviations:**

ACGIH - American Conference of Governmental Industrial Hygienists;  
ATEmix - Acute Toxicity Estimate of the mixture;  
CAS - Chemical Abstracts Service;  
EC - European Community;  
EC<sub>50</sub> - Effective concentration of substance that causes 50 % of the maximum response;  
EEC - European Economic Community;  
ErC<sub>50</sub> - Effective concentration that results in a 50% reduction in the growth rate;  
LC<sub>50</sub> - Lethal Concentration 50%;  
LD<sub>50</sub> - Lethal Dose 50%;  
NIOSH - National Institute for Occupational Safety and Health;  
REL - Recommended Exposure Limit;  
TLV - Threshold Limit Value;  
TWA - Time Weighted Average;  
UN - United Nations.

**Bibliographic references:**

ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIALS HYGIENISTS. TLVs® and BEIs®: Based on the Documentation of the Threshold Limit Values (TLVs®) for Chemical Substances and Physical Agents & Biological Exposure Indices (BEIs®). Cincinnati-USA, 2023.

GHS - GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS. 10th rev. ed. New York and Geneva: United Nations, 2023.

REACH - REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS. Commission Regulation (EC) No 1272/2008 of December 2008 amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals. Available at: < <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:353:0001:1355:en:PDF> >. Access in: May. 2019.