

SAFETY DATA SHEET

Product: JIMO Desengraxante M

Revision: 07

Date: 03/24/2025

Pages: 1/9

SECTION 1: IDENTIFICATION

GHS product identifier:	JIMO Desengraxante M
Other means of identification:	90156
Recommended use of the chemical and restrictions on use:	Industrial use.
Supplier's details:	Jimo Química Industrial Ltda. Address: Rua Ítalo Raffo 693 - Distrito Industrial, CEP: 94930-240 - RS - Brasil. Phone number: +55 51 3470 67 55 E-mail: jimo@jimo.com.br
Emergency phone number:	+55 51 3470 67 55 / 0800 051 41 46

SECTION 2: HAZARD IDENTIFICATION

Classification of the substance or mixture:	Flammable Liquids - Category 3; Skin Corrosion/Irritation - Category 2; Serious eye damage/eye irritation - Category 1; Specific Target Organ Toxicity – Single Exposure - Category 3 - Narcotic; Specific Target Organ Toxicity – Repeated Exposure - Category 2; Hazardous to the Aquatic Environment - Acute Hazard - Category 3.
Classification system adopted:	Globally Harmonized System of Classification and Labeling of Chemicals (GHS), United Nations.

GHS label elements, including precautionary statements

Pictograms:



Signal word: DANGER

Hazard statement(s): H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H336 May cause drowsiness or dizziness.
H373 May cause damage to the kidneys, to the upper respiratory tract and to the lower respiratory tract through prolonged or repeated exposure.
H402 Harmful to aquatic life.

Precautionary statement(s): **PREVENTION:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical, ventilating and lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

SAFETY DATA SHEET

Product: JIMO Desengraxante M

Revision: 07

Date: 03/24/2025

Pages: 2/9

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 Wash hands thoroughly after handling.
 P264 + P265 Wash hands thoroughly after handling. Do not touch eyes.
 P271 Use only outdoors or in a with adequate ventilation.
 P273 Avoid release to the environment.
 P280 Wear protective gloves, protective clothing, eye protection, face protection and hearing protection.

RESPONSE TO EMERGENCY:

P302 + P352 IF ON SKIN: Wash with plenty of water.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305 + P354 + P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P317 Get medical help.
 P319 Get medical help if you feel unwell.
 P321 Specific treatment.
 P332 + P317 If skin irritation occurs: Get medical help.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P370 + P378 In case of fire: Use carbon dioxide (CO₂), foam, water mist and powder to extinguish.

STORAGE:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P403 + P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.

DISPOSITION:

P501 Dispose of contents and container in accordance with local regulations.

Other hazards which do not result in classification: The product has no other hazards.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
MIXTURE

Components contributing to the hazard:

Product identifier	CAS/EC	Concentration range (%)
Naphtha (petroleum), hydrodesulfurized heavy	64742-82-1	80 - 90
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5
Lemon oil ¹	NA	0.1 - 1.0

¹ It does not have a CAS number because it is a mixture not registered in the Chemical Abstract Service database.
 NA: Not applicable.

SECTION 4: FIRST-AID MEASURES
Description of necessary first-aid measures

Inhalation: Remove victim to fresh air and keep in a position that does not obstruct breathing. If you feel unwell,

SAFETY DATA SHEET

Product: JIMO Desengraxante M

Revision: 07

Date: 03/24/2025

Pages: 3/9

	contact a TOXICOLOGICAL INFORMATION CENTER or a doctor. Bring this document.
Skin:	Wash exposed skin with sufficient amount of water to remove the product. Remove and isolate contaminated clothing and shoes. In case of skin irritation: Consult a doctor. Bring this document.
Eye:	Immediately flush eyes with sufficient amount of water, keeping eyelids open, for several minutes. If wearing contact lenses, remove them if it is easy and rinse again. Immediately contact the TOXICOLOGICAL INFORMATION CENTER or doctor. Bring this document.
Ingestion:	Wash the victim's mouth with plenty of water. Never give anything by mouth to an unconscious person. If you feel unwell, contact a TOXICOLOGICAL INFORMATION CENTER or a doctor. Bring this document.
Most important symptoms/effects, acute and delayed:	Causes skin irritation with redness, pain and dryness. Causes serious eye damage with burning, tearing and pain. May cause damage to the kidneys, lower respiratory tract and upper respiratory tract through prolonged or repeated exposure. May cause drowsiness or dizziness, may cause dizziness and nausea.
Indication of immediate medical attention and special treatment needed, if necessary:	Avoid contact with the product when helping the victim. If necessary, symptomatic treatment should include, above all, supportive measures such as correction of hydro electrolytic and metabolic disorders and respiratory assistance. In case of skin contact, do not rub the affected area.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media:	Suitable: carbon dioxide (CO ₂), foam, water mist and powder. Unsuitable: water directly onto the burning material.
Specific hazards arising from the chemical:	Combustion of the material or its packaging can form irritating and toxic gases such as carbon monoxide and dioxide. Very dangerous when exposed to excessive heat or other sources of ignition such as: sparks, open flames or flames from matches and cigarettes, welding operations, pilot lights and electric motors. May build up static charge by flow or agitation. Vapors from heated product can ignite by static discharge. Vapors are denser than air and tend to accumulate in low-lying or confined areas such as storm drains and basements. It can travel great distances causing the flame to retreat or new fires in both open and confined environments. Containers may explode if heated.
Special protective actions for fire-fighters:	If the load is involved in fire, isolate and evacuate the area to a minimum radius of 800 meters. Wear positive pressure self-contained breathing apparatus (SCBA) and full protective clothing. Containers and tanks involved in the fire must be cooled with water mist.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:	Isolate the leak from sources of ignition. Keep unauthorized persons away from the area. Stop the leak if it can be done without risk. Prevent sparks or flames. Do not smoke. Do not touch damaged containers or spilled product unless wearing suitable clothing. Avoid exposure to the product. Stay in a safe place with the wind at your back. Use personal protective equipment as described in section 8.
For emergency responders:	Use full PPE with safety glasses, safety gloves, suitable protective clothing and closed shoes. In the event of a leak, where exposure is high, the use of an appropriate respiratory protection mask is recommended.
Environmental precautions:	Prevent spilled product from reaching watercourses and sewage systems.
Methods and materials for containment and cleaning up:	Use water mist to reduce vapor dispersion. Use natural or spill containment barriers. Collect spilled product and place in appropriate containers. Absorb remaining product with dry sand, earth, vermiculite, or any other inert material. Place adsorbed product in appropriate containers and

In accordance with Globally Harmonized System of Classification and Labelling of Chemicals (GHS)- Chapter 1.5 and Annex 4

SAFETY DATA SHEET

Product: JIMO Desengraxante M

Revision: 07

Date: 03/24/2025

Pages: 4/9

remove them to a safe location. Use non-sparking tools to collect absorbed product. All equipment used for handling must be electrically grounded. For final disposal, proceed as per Section 13 of this document.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Precautions for safe handling: Handle in a well ventilated area or with general system of ventilation/local exhaust. Avoid vapors and mists formation. Handling the product can result in electrostatic charge buildup. All ignition sources must be extinguished from areas during use. Use proper grounding procedures. Use personal protective equipment as described in section 8. Avoid contact with incompatible materials.

General hygiene: Wash hands and face thoroughly after handling and before eating, drinking, smoking, or using the toilet. Contaminated clothing should be changed and washed before reuse. Remove contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage, including any incompatibilities

Technical measures for prevention of fire and explosion: Keep away from heat, sparks, open flame, and hot surfaces. Do not smoke. Keep the container tightly closed. Ground the container vessel and product receiver during transfers. Only use non-sparking tools. Avoid the accumulation of electrostatic charges. Use explosion-proof electrical, ventilation, and lighting equipment.

Conditions for safe storage, including any incompatibilities: Store in a dry, well-ventilated place away from sunlight. Keep the container closed. It is not necessary addition of stabilizers and antioxidants to ensure the durability. Keep away from incompatible materials.

Packaging compatibilities: Similar to the original packaging.

Inadequate packaging materials: There are not known unsuitable material.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limit: The values below apply to workplaces.

- Triethanolamine:
ACGIH - TLV - TWA: 5 mg/m³.

Biological limit: No biological indicators of exposure are established.

Other limits and values: No other limits and values are established.

Appropriate engineering controls: A risk assessment is recommended to define the engineering control measures necessary to eliminate or minimize the risk. These measures help to reduce exposure to the product. Maintain atmospheric concentrations of the constituents of the material below occupational exposure limits indicated.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection: Safety glasses.

Skin protection: Closed shoes and suitable protective clothing. Appropriate protective gloves.

Respiratory protection: A risk assessment should be performed for proper definition of respiratory protection, in view of the material use conditions.

Thermal hazards: It does not present thermal hazards.

SAFETY DATA SHEET

Product: JIMO Desengraxante M

Revision: 07

Date: 03/24/2025

Pages: 5/9

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid.
Colour:	Translucent blue.
Odour:	Characteristic.
Melting point/freezing point:	Not available.
Boiling point or initial boiling point and boiling range:	166.4 °C (331.52 °F).
Flammability:	Flammable.
Lower and upper explosion limit/flammability limit:	Not available.
Flash point:	45 °C (113 °F) - Closed cup.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
pH:	8 to 9.5 ((10%)).
Kinematic viscosity:	Not available.
Solubility:	Miscible in water. Emulsifiable in water and miscible in petroleum-derived solvents.
Partition coefficient n-octanol/water (log value):	Not available.
Vapour pressure:	Not available.
Density and/or relative density:	Relative density: 0.79 to 0.82 at 20 °C (68 °F).
Relative vapour density:	Not available.
Particle characteristics:	Not applicable.
Other information:	Not applicable.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Reactivity is not to be expected under normal conditions of temperature and pressure.
Chemical stability:	Product stable under normal temperature and pressure conditions.
Possibility of hazardous reactions:	There are not known hazardous reactions with the material.
Conditions to avoid:	High temperatures. Ignition sources. Contact with incompatible materials.
Incompatible materials:	Acids, magnesium carbonate, metals, mineral acids, nitrogen oxides, strong base and strong

SAFETY DATA SHEET

Product: JIMO Desengraxante M

Revision: 07

Date: 03/24/2025

Pages: 6/9

	oxidizing agents.
Hazardous decomposition products:	No dangerous decomposition products are known.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity:	Product not classified as acute toxic. ATEmix Vapours (4h): > 20 mg/L. ATEmix Oral: > 5000 mg/kg. ATEmix Dermal: > 5000 mg/kg.
Skin corrosion/irritation:	Causes skin irritation with redness, pain and dryness.
Serious eye damage/irritation:	Causes serious eye damage with burning, tearing and pain.
Respiratory or skin sensitization:	It is not expected to present respiratory or skin sensitization.
Germ cell mutagenicity:	It is not expected to show mutagenicity in germ cells.
Carcinogenicity:	It is not expected to be carcinogenic.
Reproductive toxicity:	It is not expected to be reproductively toxic.
STOT - Single exposure:	May cause drowsiness or dizziness, may cause dizziness and nausea.
STOT - Repeated exposure:	May cause damage to the kidneys, lower respiratory tract and upper respiratory tract through prolonged or repeated exposure.
Aspiration hazard:	It is not expected to present an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:	Harmful to aquatic life. Information regarding to: - <u>Alcohols, C9-11, ethoxylated</u> : LC ₅₀ (Green algae, 72 h): 55 mg/L; LC ₅₀ (Fish, 96 h): 7.5 mg/L; EC ₅₀ (<i>Daphnia sp</i> , 48 h): 7.5 mg/L.
Persistence and degradability:	It has persistence and is not considered rapidly degradable.
Bioaccumulative potential:	Presents low bioaccumulative potencial in aquatic organisms.
Mobility in soil:	Not determined.
Other adverse effects:	No other environmental effects known.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods

Must be disposed of as waste in compliance with local regulations. The treatment and disposal should be evaluated for each specific product.

SAFETY DATA SHEET

Product: JIMO Desengraxante M

Revision: 07

Date: 03/24/2025

Pages: 7/9

Keep the product remains in its original and properly closed containers. Disposal should be performed as established for the product.

SECTION 14: TRANSPORT INFORMATION

Road:	UN - United Nations: Model Regulations: • Recommendations on the Transport of Dangerous Goods.
UN number:	1993
UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Heavy hydrodesulphurized naphtha)
Transport hazard class(es):	3
Packing group:	III
Environmental hazards:	The product is not considered dangerous for the environment for land transport.
Railway regulations:	COTIF - Convention concerning International Carriage by Rail: • Appendix C: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail.
UN number:	1993
UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Heavy hydrodesulphurized naphtha)
Transport hazard class(es):	3
Packing group:	III
Environmental hazards:	The product is not considered dangerous for the environment in rail transport.
Sea:	IMO - International Maritime Organization: • IMDG Code - International Maritime Dangerous Goods Code.
UN number:	1993
UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrodesulfurized heavy)
Transport hazard class(es):	3
Packing group:	III
Environmental hazards:	It's not considered a marine pollutant for transportation.
EmS:	F-E, <u>S-E</u>
Air:	IATA - International Air Transport Association: • DGR - Dangerous Goods Regulation.
UN number:	1993
UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrodesulfurized heavy)
Transport hazard class(es):	3
Packing group:	III
Environmental hazards:	The product is not considered dangerous for the environment for air transport.

In accordance with Globally Harmonized System of Classification and Labelling of Chemicals (GHS)- Chapter 1.5 and Annex 4

SAFETY DATA SHEET

Product: JIMO Desengraxante M

Revision: 07

Date: 03/24/2025

Pages: 8/9

Special precautions for user: Not applicable.

Transport in bulk according to IMO instruments:

Consult regulations:

- International Maritime Organization: MARPOL: Articles, protocols, annexes, unified interpretations of the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 relating thereto, consolidated edition. IMO, London, 2006;
- International Maritime Organization: IBC code: International code for the construction and equipment of shipping carrying dangerous chemicals in bulk: With Standards and guidelines relevant to the code. IMO, London, 2007.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question

Convention concerning Safety in the use of Chemicals at Work (Convention 170) - International Labour Organization, 1990.

SECTION 16: OTHER INFORMATION

This document was prepared based on current knowledge about the proper product handling and under normal conditions of use, in accordance with the application specified on the packaging. Any other use of the product involving their combination with other products, and use various forms of those indicated, are the responsibility of the user. Warns that the handling of any chemical substance requires the prior knowledge of its hazards for the user. In the workplace it is for the user company's product promotes training of its collaborators about the possible risks arising from exposure to the chemical.

Change control:

Version	Manufacture date	Changes
07	03/24/2025	Change in composition. Change in section: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15 and 16.

Abbreviations:

ACGIH - American Conference of Governmental Industrial Hygienists;
 ATEmix - Acute Toxicity Estimate of the mixture;
 CAS - Chemical Abstracts Service;
 EC - European Community;
 EC₅₀- Effective concentration of substance that causes 50 % of the maximum response;
 EEC - European Economic Community;
 IARC - International Agency for Research on Cancer;
 LC₅₀- Lethal Concentration 50%;
 PBT - Persistent, bioaccumulative and toxic;
 TLV - Threshold Limit Value;
 TWA - Time Weighted Average;
 UN - United Nations;
 vPvB - Very Persistent and very Bioaccumulative.

Bibliographic references:

ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIALS HYGIENISTS. TLVs® and BEIs®: Based on the Documentation of the Threshold Limit Values (TLVs®) for Chemical Substances and Physical Agents & Biological Exposure Indices (BEIs®). Cincinnati-USA, 2024.

GHS - GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS. 10th rev. ed. New

Desde 1956



SDS

In accordance with Globally Harmonized System of
Classification and Labelling of Chemicals (GHS)- Chapter 1.5
and Annex 4

SAFETY DATA SHEET

Product: JIMO Desengraxante M

Revision: 07

Date: 03/24/2025

Pages: 9/9

York and Geneva: United Nations, 2023.

REACH - REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS. Commission Regulation (EC) No 1272/2008 of December 2008 amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals. Available in: <<http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:353:0001:1355:en:PDF>>. Access at: Mar. 2025.