

In accordance with Globally Harmonized System of  
Classification and Labelling of Chemicals (GHS)- Chapter 1.5  
and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Multi Superfícies Aerossol

Revision: 05

Date: 03/21/2024

Pages: 1/9

### 1 - IDENTIFICATION

GHS Product identifier:	JIMO Multi Superfícies Aerossol
Other means of identification:	49807
Recommended use of the chemical:	Sanitizing.
Specific restrictions on use:	There are not known restrictions on use.
Supplier's details:	Jimo Química Industrial Ltda. <b>Address:</b> Rua Ítalo Raffo 693 - Distrito Industrial, CEP: 94930-240 - RS - Brasil. <b>Phone number:</b> +55 51 3470 67 55 <b>Email:</b> jimo@jimo.com.br
Emergency phone number:	+55 51 3470 67 55 / 0800 051 41 46

### 2 - HAZARD IDENTIFICATION

Classification of the substance or mixture:	Aerosols - Category 2; Skin Corrosion/Irritation - Category 3; Serious eye damage/eye irritation - Category 2A.
Classification system adopted:	Globally Harmonized System of Classification and Labeling of Chemicals (GHS), United Nations.

#### GHS label elements, including precautionary statements

Pictograms:



Signal word:	WARNING
Hazard statement(s):	H223 Flammable aerosol. H229 Pressurized container: may burst if heated. H316 Causes mild skin irritation. H319 Causes serious eye irritation.
Precautionary statement(s):	<b>PREVENTION:</b> P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P264 + P265 Wash hands thoroughly after handling. Do not touch eyes. P280 Wear protective gloves, protective clothing, eye protection, face protection and hearing protection.  <b>RESPONSE TO EMERGENCY:</b> P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P317 If skin irritation occurs: Get medical help. P337 + P317 If eye irritation persists: Get medical help.

In accordance with Globally Harmonized System of  
Classification and Labelling of Chemicals (GHS)- Chapter 1.5  
and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Multi Superfícies Aerossol

Revision: 05

Date: 03/21/2024

Pages: 2/9

### STORAGE:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Other hazards which do  
not result in  
classification:

The product has no other hazards.

### 3 - COMPOSITION/INFORMATION ON INGREDIENTS

#### MIXTURE

Components contributing to the hazard:	Liquefied Petroleum Gas (LPG) (CAS 68476-85-7): 5 - 10 %; Ethyl alcohol (CAS 64-17-5): 1 - 5 %; Butyl glycol (CAS 111-76-2): 1 - 5 %; Propylene glycol ether (CAS 1569-01-3): 1 - 5 %; Isopropyl Alcohol (CAS 67-63-0): 0.1 - 1 %; Decyl glucoside (CAS 68515-73-1): 0.1 - 1 %; Hexyl cellosolve (CAS 112-25-4): 0.1 - 1 %; Sodium nitrite (CAS 7632-00-0): 0.1 - 1 %.
--	---

### 4 - FIRST-AID MEASURES

#### Description of necessary first-aid measures

Inhalation:	Remove victim to fresh air and keep in a position that does not obstruct breathing. If you feel unwell, contact a TOXICOLOGICAL INFORMATION CENTER or a doctor. Bring this document.
Skin:	Wash exposed skin with sufficient amount of water to remove the product. Remove and isolate contaminated clothing and shoes. In case of skin irritation: Consult a doctor. Bring this document.
Eye:	Rinse carefully with water for several minutes. If wearing contact lenses, remove them if it is easy and keep rinsing. If eye irritation persists: consult a doctor. Bring this document.
Ingestion:	Wash the victim's mouth with plenty of water. Never give anything by mouth to an unconscious person. If you feel unwell, contact a TOXICOLOGICAL INFORMATION CENTER or a doctor. Bring this document.
Most important symptoms/effects, acute and delayed:	Causes mild skin irritation with redness and dryness. Causes serious eye irritation with redness and pain.
Indication of immediate medical attention and special treatment needed, if necessary:	Avoid contact with the product when helping the victim. If necessary, symptomatic treatment should include, above all, supportive measures such as correction of hydro electrolytic and metabolic disorders and respiratory assistance. In case of skin contact, do not rub the affected area.

### 5 - FIRE-FIGHTING MEASURES

Extinguishing media:	Appropriate: carbon dioxide (CO <sub>2</sub> ), water mist and dry chemical powder. Inappropriate: water directly onto the burning material.
Specific hazards arising from the chemical:	Combustion of the material or its packaging can form irritating and toxic gases such as carbon monoxide and dioxide. The combustion of the chemical product or its packaging can form irritating and toxic gases such as carbon monoxide and dioxide. Very dangerous when exposed to excessive heat or other sources of ignition such as: sparks, open flames or flames from matches and cigarettes, welding operations, pilot lamps and electric motors. Gases can be denser than air and can accumulate in low-lying or confined areas, such as storm drains and basements. They can travel long distances, causing flame regression or new fires in both open and confined environments. Containers may explode if heated.
Special protective	Do not extinguish a gas leak fire unless the leak can be contained. If cargo is involved in fire, isolate

In accordance with Globally Harmonized System of  
Classification and Labelling of Chemicals (GHS)- Chapter 1.5  
and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Multi Superfícies Aerossol

Revision: 05

Date: 03/21/2024

Pages: 3/9

actions for fire-fighters: and evacuate the area within a minimum radius of 1600 meters. Use self-contained respiratory protection equipment (SCBA) with positive pressure and complete protective clothing. Containers and tanks involved in the fire must be cooled with water mist.

### 6 - ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Isolate the leakage from sources of ignition. Keep unauthorized persons out of the area and away from windows. Stop the leakage if it can be done without risk. Prevent sparks or flames. Do not smoke. Do not touch damaged containers or spilled product without proper clothing. Avoid exposure to the product. Stay in a safe place, with the wind at your back. Use personal protective equipment as described in section 8.

For emergency responders: Wear complete PPE with safety glasses, safety gloves, suitable protective clothing and closed shoes. In case of leakage, where exposure is high, it is recommended to use a suitable respiratory protection mask.

Environmental precautions: Avoid that the spilled product reaches waterways or sewage system.

Methods and materials for containment and cleaning up: Release contents slowly into the atmosphere. Stay downwind. Do not pour water into the spill or source of the leak. Due to the dispersion of the product in the environment, it is recommended that the area be ventilated until the area is released. All equipment used to contain the product must be grounded. Do not dispose of used or damaged containers directly into the environment or into the sewage system. Use non-sparking tools to collect absorbed product. For final disposal, proceed as per Section 13 of this document.

### 7 - HANDLING AND STORAGE

#### Precautions for safe handling

Precautions for safe handling: Handle in a well ventilated area or with general system of ventilation/local exhaust. Avoid gases and aerosols formation. Avoid exposure to the product, since the effects may not be felt immediately. Use personal protective equipment as described in section 8. Avoid contact with incompatible materials.

General hygiene: Wash hands and face thoroughly after handling and before eating, drinking, smoking, or using the toilet. Contaminated clothing should be changed and washed before reuse. Remove contaminated clothing and protective equipment before entering eating areas.

#### Conditions for safe storage, including any incompatibilities

Technical measures for prevention of fire and explosion: Keep away from heat, sparks, open flame, and hot surfaces. Do not smoke. Keep the container tightly closed. Ground the container vessel and product receiver during transfers. Only use non-sparking tools. Avoid the accumulation of electrostatic charges. Use explosion-proof electrical, ventilation, and lighting equipment.

Conditions for safe storage, including any incompatibilities: Store in a dry, well-ventilated place away from sunlight. Keep the container closed. It is not necessary addition of stabilizers and antioxidants to ensure the durability. Keep away from incompatible materials.

Packaging compatibilities: Similar to the original packaging.

Inadequate packaging materials: There are not known unsuitable material.

### 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

In accordance with Globally Harmonized System of  
Classification and Labelling of Chemicals (GHS)- Chapter 1.5  
and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Multi Superfícies Aerossol

Revision: 05

Date: 03/21/2024

Pages: 4/9

**Occupational exposure limit:**

The values below apply to workplaces.

- Liquefied Petroleum Gas (LPG):

OSHA - PEL - TWA: 1000 ppm (1800 mg/m<sup>3</sup>) (29 CFR 1910.1000 Table Z-1) (CFR);

NIOSH - REL - TWA: 1000 ppm (1800 mg/m<sup>3</sup>);

ACGIH - TLV - TWA: (AF; D; EX).

- Ethyl alcohol:

OSHA - PEL - TWA: 1000 ppm (1900 mg/m<sup>3</sup>) (29 CFR 1910.1000 Table Z-1) (CFR);

NIOSH - REL - TWA: 1000 ppm (1900 mg/m<sup>3</sup>);

ACGIH - TLV - STEL: 1000 ppm.

- Butyl glycol:

OSHA - PEL - TWA: 50 ppm (240 mg/m<sup>3</sup>) (\*) (29 CFR 1910.1000 Table Z-1) (CFR);

NIOSH - REL - TWA: 5 ppm (24 mg/m<sup>3</sup>) (\*);

ACGIH - TLV - TWA: 20 ppm.

- Isopropyl Alcohol:

OSHA - PEL - TWA: 400 ppm (980 mg/m<sup>3</sup>) (29 CFR 1910.1000 Table Z-1) (CFR);

NIOSH - REL - TWA: 400 ppm (980 mg/m<sup>3</sup>);

NIOSH - REL - STEL: 500 ppm (1225 mg/m<sup>3</sup>);

ACGIH - TLV - TWA: 200 ppm;

ACGIH - TLV - STEL: 400 ppm.

D: Simple asphyxiant;

EX: Explosion hazard: the substance is a flammable asphyxiant or excursions above the TLV® could approach 10% of the lower explosive limit;

AF: See Appendix F: Minimal Oxygen Content.

CFR: See mentioned item in OSHA CFR;

\*: Also absorbed through the skin.

**Biological limit:**

- Butyl glycol:

ACGIH - BEI: Determinant: Butoxyacetic acid (BAA) in urine. Sampling time: End of shift. Index: 200 mg/g creatinine (H).

- Isopropyl Alcohol:

ACGIH - BEI: Determinant: Acetone in urine. Sampling Time: End of shift at end of workweek. Index: 40 mg/L. Notation: Ns, B.

H: The analytical method requires hydrolysis.

B: The determinant may be present in biological specimens collected from subjects who have not been occupationally exposed, at a concentration which could affect the interpretation of the results. Such background concentrations are incorporated in the BEI value;

Ns: The determinant is nonspecific, since it is also observed after exposure to other chemicals.

**Other limits and values:** Not established.

**Appropriate engineering controls:**

A risk assessment is recommended to define the engineering control measures necessary to eliminate or minimize the risk. These measures help to reduce exposure to the product. Maintain atmospheric concentrations of the constituents of the material below occupational exposure limits indicated.

**Individual protection measures, such as personal protective equipment (PPE)**

**Eye/face protection:** Safety glasses.

**Skin protection:** Closed shoes and suitable protective clothing. Appropriate protective gloves.

**Respiratory protection:** A risk assessment should be performed for proper definition of respiratory protection, in view of the material use conditions.

**Thermal hazards:** It does not present thermal hazards.

## SAFETY DATA SHEET

**Product:** JIMO Multi Superfícies Aerossol

Revision: 05

Date: 03/21/2024

Pages: 5/9

**9 - PHYSICAL AND CHEMICAL PROPERTIES**

Aspect:	Liquid, compressed.
Color:	Colorless.
Odour:	Characteristic.
Melting point/freezing point:	Not applicable.
Boiling point or initial boiling point and boiling range:	Not applicable.
Flammability:	Not available.
Lower and upper explosion limit/flammability limit:	Not applicable.
Flash point:	45 °C (113 °F) - Closed cup.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not applicable.
pH:	5.5 to 7.5.
Kinematic viscosity:	Not applicable.
Solubility(ies):	Miscible in water.
Partition coefficient n-octanol/water (log value):	Not available.
Vapour pressure:	Not applicable.
Relative vapour density:	Not applicable.
Density and/or relative density:	Relative density: 0.9 to 1.01 at 20 °C (68 °F).
Particle characteristics:	Not applicable.
Other information:	Not applicable.

**10 - STABILITY AND REACTIVITY**

Reactivity:	Reactivity is not to be expected under normal conditions of temperature and pressure.
Chemical stability:	Stable under normal temperature and pressure conditions.
Possibility of hazardous reactions:	There are not known hazardous reactions with the material.
Conditions to avoid:	High temperatures. Contact with incompatible materials.
Incompatible material:	Acetyl chloride, acids, alkaline metals, amines, ammonium salts, bromine pentafluoride, calcium

In accordance with Globally Harmonized System of  
Classification and Labelling of Chemicals (GHS)- Chapter 1.5  
and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Multi Superfícies Aerossol

Revision: 05

Date: 03/21/2024

Pages: 6/9

hypochlorite, chlorates, chlorine, chromic acid, compounds with high affinity for hydroxyl groups, hydrogen peroxide, mercuric nitrate, nickel, nitric acid, oxidizable substances, oxidizing agents, oxygen, perchloric acid, peroxides, reducing agents, silver nitrate, Strong acids, strong base, strong oxidizers, strong oxidizing agents and sulphuric acid.

Hazardous  
decomposition  
products:

No dangerous decomposition products are known.

### 11 - TOXICOLOGICAL INFORMATION

Acute toxicity: Product not classified as acute toxic.  
ATEmix Vapours (4h): > 20 mg/L.  
ATEmix Dusts and mists (4h): > 5 mg/L.  
ATEmix Oral: > 5000 mg/kg.  
ATEmix Dermal: > 5000 mg/kg.

Skin corrosion/irritation: Causes mild skin irritation with redness and dryness.

Serious eye  
damage/irritation: Causes serious eye irritation with redness and pain.

Respiratory or skin  
sensitization: It is not expected to present respiratory or skin sensitization.

Germ cell mutagenicity: It is not expected to show mutagenicity in germ cells.

Carcinogenicity: It is not expected to be carcinogenic.

Reproductive toxicity: It is not expected to be reproductively toxic.

STOT - Single  
exposure: It is not expected to exhibit specific target organ toxicity by single exposure.

STOT - Repeated  
exposure: It is not expected to exhibit specific target organ toxicity on repeated exposure.

Aspiration hazard: It is not expected to present an aspiration hazard.

### 12 - ECOLOGICAL INFORMATION

Toxicity: It is not expected to be ecotoxic.

Persistence and  
degradability: It is expected that the product presents persistence and it is not considered readily biodegradable.

Information regarding to:  
- Ethyl alcohol:  
Low degradation and high persistence are expected.

Bioaccumulative  
potential: Presents low bioaccumulative potencial in aquatic organisms.  
Information regarding to:  
- Ethyl alcohol:  
log  $K_{ow}$ : 0.31.

Mobility in soil: Not determined.

Other adverse effects: No other environmental effects known.

### 13 - DISPOSAL CONSIDERATIONS

**Disposal methods**

In accordance with Globally Harmonized System of  
Classification and Labelling of Chemicals (GHS)- Chapter 1.5  
and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Multi Superfícies Aerossol

Revision: 05

Date: 03/21/2024

Pages: 7/9

Must be disposed of as hazardous waste in compliance with local regulations. The treatment and disposal should be evaluated for each specific product.  
Keep product residues in their original packaging and properly closed. Disposal must be carried out as established for the product.

### 14 - TRANSPORT INFORMATION

**Road:** UN - United Nations: Model Regulations:  
• Recommendations on the Transport of Dangerous Goods.

UN number: 1950

Proper shipping name: AEROSOLS

Primary risk class or  
division: 2.1

Subsidiary risk class or  
division: NA

Packing group: NA

**Railway regulations:** COTIF - Convention concerning International Carriage by Rail:  
• Appendix C: RID - Regulations concerning the International Carriage of Dangerous Goods  
by Rail.

UN number: 1950

Proper shipping name: AEROSOLS

Primary risk class or  
division: 2.1

Subsidiary risk class or  
division: NA

Packing group: NA

**Sea:** IMO - International Maritime Organization:  
• IMDG Code - International Maritime Dangerous Goods Code.

UN number: 1950

Proper shipping name: AEROSOLS

Primary risk class or  
division: 2.1

Subsidiary risk class or  
division: NA

Packing group: NA

EmS: F-D,S-U

Environmental hazards: It's not considered a marine pollutant for transportation.

**Air:** IATA - International Air Transport Association:  
• DGR - Dangerous Goods Regulation.

UN number: 1950

Proper shipping name: AEROSOLS

Primary risk class or  
division: 2.1

In accordance with Globally Harmonized System of  
Classification and Labelling of Chemicals (GHS)- Chapter 1.5  
and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Multi Superfícies Aerossol

Revision: 05 Date: 03/21/2024 Pages: 8/9

Subsidiary risk class or  
division: NA

Packing group: NA

Special precautions for  
user: Not applicable.

### 15 - REGULATORY INFORMATION

Convention concerning Safety in the use of Chemicals at Work (Convention 170) - International Labour Organization, 1990.

### 16 - OTHER INFORMATION

This document was prepared based on current knowledge about the proper product handling and under normal conditions of use, in accordance with the application specified on the packaging. Any other use of the product involving their combination with other products, and use various forms of those indicated, are the responsibility of the user. Warns that the handling of any chemical substance requires the prior knowledge of its hazards for the user. In the workplace it is for the user company's product promotes training of its collaborators about the possible risks arising from exposure to the chemical.

#### Change control:

Version	Manufacture date	Changes
05	03/21/2024	Change in section: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 and 16.

#### Abbreviations:

ACGIH - American Conference of Governmental Industrial Hygienists;  
ATEmix - Acute Toxicity Estimate of the mixture;  
BEI - Biological Exposure Index;  
CAS - Chemical Abstracts Service;  
EC - European Community;  
EEC - European Economic Community;  
 $K_{ow}$  - Octanol-water partition coefficient;  
NIOSH - National Institute for Occupational Safety and Health;  
OSHA - Occupational Safety & Health Administration;  
PEL - Permissible Exposure Limit;  
REL - Recommended Exposure Limit;  
STEL - Short Term Exposure Limit;  
TLV - Threshold Limit Value;  
TWA - Time Weighted Average;  
UN - United Nations.

#### Bibliographic references:

ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIALS HYGIENISTS. TLVs® and BEIs®: Based on the Documentation of the Threshold Limit Values (TLVs®) for Chemical Substances and Physical Agents & Biological Exposure Indices (BEIs®). Cincinnati-USA, 2023.

GHS - GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS. 10th rev. ed. New York and Geneva: United Nations, 2023.



Desde 1956



SDS

In accordance with Globally Harmonized System of  
Classification and Labelling of Chemicals (GHS)- Chapter 1.5  
and Annex 4

## SAFETY DATA SHEET

**Product:** JIMO Multi Superfícies Aerossol

Revision: 05

Date: 03/21/2024

Pages: 9/9

REACH - REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS. Commission Regulation (EC) No 1272/2008 of December 2008 amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals. Available at: < <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:353:0001:1355:en:PDF> >. Access in: Mar. 2024.